


## Coating Data Sheet



### Designation

Coating type description OLD	UU 20U Black/Green
Coating type description NEW	PU 85/NSTR

### Design

Coating Material	Polyurethane (thermoplastic)
Colour	Black
Surface pattern	Textile structure

### Technical data

Hardness [Shore(A)]	85
Density [kg/m <sup>3</sup> ]	
Coating thickness min. [mm]	1.0
Coating thickness max. [mm]	1.0
d factor *	10
Minimum pulley diameter D <sub>min</sub> (approx.) [mm]	[d factor] x [selected coating thickness]
Minimum operating temperature [°C]	-20
Maximum operating temperature [°C]	60

### Coefficient of static friction

against PE foil	0.30
against wood	0.45
against sheet glass	0.42
against cardboard	0.56
against aluminium	0.53
against steel sheet	0.52

## Coating Data Sheet

### Properties

Electrostatic properties	non-conductive
Wear resistance	high
Compressibility	No
Product release properties	medium
Cleanability	effortful

### Chemical resistance

General chemical resistance to	Generic fats and oils
--------------------------------	-----------------------

### Special Fabrication

Sanding	No
Milling	No
Punching	Yes

### Applications

Paper / Cardboard conveying, General conveying

### General remarks

High chemical resistance. Excellent cut and wear resistance.